

## Fans Designed for Peace of Mind

Working in conjunction with the Miami-Dade Building Code Compliance Office PennBarry proudly delivers our severe-duty supply and exhaust fan options for air movement in high-wind hurricane zones.


## Miami-Dade Building Code Compliant Products:

- Domex Centrifugal Roof Exhausters (Belt-Drive - DX11B to DX36B) (Direct-Drive - DX13 to DX18)
- Fumex Upblast Roof Exhausters (Belt-Drive - FX08B to FX36B) (Direct-Drive - FX08 to FX18)
- Dynamo Utility Blower
- · Muffan Fresh Air Supply Centrifugal Fan
- Dynamo Dynapak Curb Mount Restaurant Exhauster (sizes 20 and 24)
- Pennhouse Louvered Gravity Ventilator (throat size 12 x12)
- · Weather Cap Rooftop Exhaust or Supply Ventilator
- VPlume Commercial Lab Exhaust (Single, Dual and Triple Systems, Sizes 90 182)
- PHHW Roof mounted air intake or exhaust housing unit









PennBarry understands that all phases of a job require speed in execution while maintaining accuracy in detail. That's why our fans feature simplified, ready-to-mount construction accepted by state-licensed, independent Professional Engineers to help get the job done right. PennBarry high-wind products have been carefully designed, rigorously tested and meticulously verified to withstand hurricane-level winds for use in hospitals, schools and commercial buildings:

- Tie-downs or additional external braces not required
- Built to withstand Category 4 hurricanes (up to 156 mph sustained winds)
- Testing done with Miami-Dade County to design high velocity rooftop fans, certified and approved by the Miami-Dade Building Code Compliance office and the Texas Department of Insurance for use in hurricane-prone areas
- · Certified testing by Miami-Dade County facility

Contact your PennBarry representative or visit PennBarry.com to learn more about why our fans built to Miami-Dade and Florida Building Code standards should be your first choice for reliable and efficient air movement in high-wind hurricane zones.

